

BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijajanje na mokrom	Buka	db	VPC 27-08-2018
BS	16-	Osobna	155	65	14		75	T	LM001	TL			7653	1556514	5,9	E	C	2	71	367,00
BS	17+	Osobna	155	70	19	XL	88	Q	LM500	TL		*	8328	1557019	7,3	C	B	2	69	1.095,00
BS	17+	Osobna	155	70	19		84	Q	LM500	TL		*	6736	1557019	7,3	C	B	2	69	1.022,00
BS	16-	Osobna	165	65	14		79	T	LM001	TL			7655	1656514	6,2	E	C	2	71	429,00
BS	16-	Osobna	165	65	15		81	T	LM20	TL			8007	1656515	6,2	F	C	2	71	446,00
BS	16-	Kombi	165	70	14		89	R	LM32C	TL			5014	1657014	7,6	F	B	2	73	702,00
BS	16-	Osobna	165	70	14		81	T	LM001	TL			7053	1657014	6,8	E	C	2	71	390,00
BS	16-	Osobna	175	60	15		81	T	LM32	TL			4997	1756015	7,5	G	C	2	70	467,00
BS	16-	Kombi	175	65	14		90	T	LM32C	TL			5017	1756514	7,9	F	B	2	73	685,00
BS	16-	Osobna	175	65	14		82	T	LM001	TL			8344	1756514	6,9	E	B	2	71	379,00
BS	16-	Osobna	175	65	14	XL	86	T	WS80	TL			7889	1756514	7,6	F	F	2	71	467,00
BS	16-	Osobna	175	65	15		84	T	LM30	TL			2810	1756515	7,4	F	C	2	70	416,00
BS	16-	Osobna	175	65	15		84	H	WS80	TL			7868	1756515	7,4	F	F	2	71	482,00
BS	16-	Osobna	175	70	14		84	T	LM001	TL			7650	1757014	7,1	E	C	2	71	458,00
BS	16-	Osobna	175	70	14	XL	88	T	LM001	TL			7662	1757014	7,1	E	C	2	71	499,00
BS	16-	Kombi	175	75	14		99	R	W810	TL			6822	1757514	10,9	F	C	2	75	604,00
BS	16-	Osobna	185	55	15		82	T	LM001	TL	●		7656	1855515	7,4	E	C	2	71	579,00
BS	16-	Osobna	185	55	15	XL	86	H	LM001	TL			7666	1855515	7,4	E	C	2	71	623,00
BS	16-	Osobna	185	55	16	XL	87	T	LM25	TL	●		7528	1855516	8,4	F	C	2	71	690,00
BS	16-	Osobna	185	60	14		82	T	LM001	TL	●		7054	1856014	7,1	E	C	2	71	423,00
BS	16-	Osobna	185	60	15		84	T	LM001E	TL			10061	1856015	7,4	C	B	2	71	443,00
BS	16-	Osobna	185	60	15	XL	88	T	LM001	TL	●		7056	1856015	7,6	E	C	2	71	450,00
BS	16-	Osobna	185	60	15	XL	88	H	LM32	TL		AO	5557	1856015	8,0	E	C	2	71	549,00
BS	16-	Osobna	185	60	15	XL	88	T	WS80	TL			7892	1856015	8,3	G	F	2	71	476,00
BS	16-	Osobna RFT	185	60	15	XL	88	H	DRIVEGW	RFT			8390	1856015	9,9	E	B	2	71	506,00
BS	16-	Osobna	185	60	16		86	T	LM001	TL	●		9620	1856016	7,7	C	B	2	71	478,00
BS	16-	Osobna	185	65	14		86	T	LM001	TL			7055	1856514	7,3	E	C	2	71	453,00
BS	16-	Osobna	185	65	15		88	T	LM001	TL			7051	1856515	7,8	E	C	2	71	414,00
BS	16-	Osobna	185	65	15	XL	92	T	LM001	TL			7660	1856515	7,9	E	C	2	71	480,00
BS	16-	Osobna	185	65	15	XL	92	T	WS80	TL			7886	1856515	8,6	F	F	2	71	507,00
BS	16-	Osobna RFT	185	65	15	XL	92	H	DRIVEGW	RFT			8389	1856515	9,8	C	B	2	71	466,00
BS	16-	Osobna	185	70	14		88	T	LM001	TL			7654	1857014	7,8	E	C	2	71	527,00
BS	16-	Kombi	185	75	16		104	R	W810	TL			9082	1857516	14,9	F	B	2	75	771,00
BS	16-	Osobna	195	45	16	XL	84	H	LM001	TL	●		7673	1954516	7,6	E	C	2	72	694,00
BS	16-	Osobna	195	50	15		82	T	LM30	TL			2820	1955015	8,2	G	E	2	72	487,00
BS	16-	Osobna	195	50	15		82	H	LM30	TL			2816	1955015	8,2	G	E	2	72	528,00
BS	16-	Osobna	195	50	16	XL	88	H	LM32	TL	●		9723	1955016	9,6	E	C	2	71	829,00
BS	16-	Osobna	195	50	16	XL	88	H	LM32	TL		AO	5491	1955016	9,4	F	C	2	71	853,00
BS	16-	Osobna	195	55	15		85	H	LM001	TL	●		7659	1955515	7,3	E	C	2	72	637,00
BS	16-	Osobna	195	55	16		87	T	LM001	TL	●		7964	1955516	9,2	E	C	2	72	674,00

BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijanjanje na mokrom	Buka	db	VPC 27-08-2018
BS	16-	Osobna	195	55	16		87	H	LM001	TL	●		7965	1955516	9,2	E	C	2	72	686,00
BS	16-	Osobna	195	55	16		87	H	LM32	TL		*	4861	1955516	9,1	F	B	2	71	706,00
BS	16-	Osobna	195	55	16	XL	91	V	LM001	TL		AO	13563	1955516	8,5				0	824,00
BS	16-	Osobna	195	55	16	XL	91	T	WS80	TL			7867	1955516	9,7	F	F	2	72	726,00
BS	16-	Osobna RFT	195	55	16	XL	91	H	DRIVEGW	RFT			8379	1955516	10,0	C	B	2	72	765,00
BS	16-	Osobna RFT	195	55	16		87	H	LM25	RFT	●	*	1958	1955516	11,0	F	E	2	71	820,00
BS	16-	Osobna RFT	195	55	16		87	H	LM001	RFT		*	9214	1955516	10,6	E	C	2	72	819,00
BS	16-	Osobna	195	60	15		88	T	LM001	TL	●		7649	1956015	7,6	E	C	2	72	497,00
BS	16-	Osobna	195	60	15		88	H	LM001	TL	●		7665	1956015	7,6	E	C	2	72	570,00
BS	16-	Kombi	195	60	16		99	T	LM32C	TL			5013	1956016	9,7	E	B	2	73	771,00
BS	16-	Osobna	195	60	16		89	H	LM25	TL		MO	1122	1956016	9,4	F	B	2	72	701,00
BS	16-	Osobna	195	65	15		91	T	LM001E	TL			9693	1956515	8,2	C	B	2	72	401,00
BS	16-	Osobna	195	65	15	XL	95	T	LM001E	TL			9696	1956515	8,2	C	B	2	72	457,00
BS	16-	Osobna	195	65	15		91	T	LM32	TL		MO	4375	1956515	9,0	F	C	2	71	415,00
BS	16-	Osobna	195	65	15		91	H	LM32	TL			3018	1956515	9,0	F	C	2	72	498,00
BS	16-	Osobna	195	65	15	XL	95	T	WS80	TL			7888	1956515	9,3	F	F	2	72	545,00
BS	16-	Osobna RFT	195	65	15	XL	95	H	DRIVEGW	RFT			8388	1956515	11,3	C	B	2	72	467,00
BS	16-	Kombi	195	65	16		104	T	W810	TL			7624	1956516	13,0	E	C	2	75	776,00
BS	16-	Osobna	195	70	14		91	T	LM20	TL			8011	1957014	8,1	E	C	2	72	542,00
BS	16-	Kombi	195	70	15		104	R	W810	TL			7621	1957015	12,0	F	C	2	75	645,00
BS	16-	Kombi	195	70	15		104	R	W995	TL			7035	1957015	12,0	E	E	2	75	654,00
BS	16-	Kombi	195	75	16		107	R	W800	TL			2338	1957516	13,5	F	B	2	71	707,00
BS	16-	Kombi	195	75	16		107	R	W810	TL			9083	1957516	14,0	E	A	2	75	708,00
BS	16-	Kombi	195	75	16		107	R	W810	TL			9263	1957516	12,9	E	B	2	75	705,00
BS	16-	Kombi	195	75	16		107	R	W995	TL			7057	1957516	14,0	E	E	2	75	706,00
BS	16-	4X4	195	80	15		96	R	DM-V2	TL	●		9121	1958015	11,4	G	F	2	72	705,00
BS	17+	Osobna	205	45	17	XL	88	V	LM32	TL	●		9678	2054517	9,7	E	C	2	72	978,00
BS	17+	Osobna RFT	205	45	17		84	V	LM25	RFT	●	*	8777	2054517	10,5	F	E	2	72	1.161,00
BS	17+	Osobna RFT	205	45	17	XL	88	V	LM25	RFT	●	*	2264	2054517	10,5	F	C	2	72	1.240,00
BS	17+	Osobna	205	50	17	XL	93	V	LM32	TL			4987	2055017	10,2	F	C	2	70	929,00
BS	17+	Osobna	205	50	17	XL	93	H	LM32	TL		AO	5490	2055017	9,6	E	C	2	71	877,00
BS	17+	Osobna	205	50	17	XL	93	H	WS80	TL			7887	2055017	10,7	G	F	2	72	939,00
BS	17+	Osobna RFT	205	50	17		89	H	LM25	RFT		*	1124	2055017	12,2	F	E	2	72	1.100,00
BS	16-	Osobna	205	55	16		91	T	LM001E	TL			9688	2055516	9,1	C	B	2	72	607,00
BS	16-	Osobna	205	55	16		91	H	LM001E	TL			9687	2055516	9,1	C	B	2	72	613,00
BS	16-	Osobna	205	55	16	XL	94	H	LM001	TL	●		7228	2055516	9,2	E	C	2	72	698,00
BS	16-	Osobna	205	55	16	XL	94	V	LM001	TL	●		7229	2055516	9,2	E	C	2	72	825,00
BS	16-	Osobna	205	55	16		91	H	LM32	TL		AO	5493	2055516	9,5	E	C	2	71	627,00
BS	16-	Osobna	205	55	16		91	H	LM001	TL		*	9213	2055516	9,5	E	B	2	72	627,00
BS	16-	Osobna	205	55	16		91	H	LM32	TL		MO	79075	2055516	10,0	G	E	2	72	628,00

BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijanjanje na mokrom	Buka	db	VPC 27-08-2018
BS	16-	Osobna	205	55	16	XL	94	T	WS80	TL			7891	2055516	8,3	F	F	2	72	718,00
BS	16-	Osobna RFT	205	55	16		91	H	LM001	RFT		*	9212	2055516	11,4	E	C	2	72	778,00
BS	16-	Osobna RFT	205	55	16	XL	94	V	DRIVEGW	RFT			8378	2055516	11,4	C	B	2	72	685,00
BS	17+	4X4 RFT	205	55	17		91	H	LM25-1	RFT		*	4860	2055517	11,8	F	F	2	71	1.306,00
BS	17+	Osobna	205	55	17	XL	95	H	LM001	TL			8360	2055517	9,5	E	C	2	72	1.010,00
BS	17+	Osobna	205	55	17		91	H	LM001	TL		MO	9364	2055517	9,5	C	B	2	71	1.024,00
BS	16-	4X4	205	60	16		92	H	LM25-1	TL		*	4859	2056016	10,2	F	E	2	71	682,00
BS	16-	Kombi	205	60	16		100	T	LM32C	TL			5018	2056016	10,4	F	B	2	73	925,00
BS	16-	Osobna	205	60	16		92	H	LM001	TL	●		7652	2056016	9,2	E	C	2	72	641,00
BS	16-	Osobna	205	60	16	XL	96	H	LM001	TL	●		7663	2056016	9,2	E	C	2	72	650,00
BS	16-	Osobna	205	60	16		92	H	LM001	TL			10084	2056016	9,5	C	B	2	72	642,00
BS	16-	Osobna	205	60	16		92	H	LM32	TL		MO	6188	2056016	9,7	E	C	2	70	661,00
BS	16-	Osobna	205	60	16		92	H	LM001	TL	●	*	9219	2056016	9,8	E	B	2	72	662,00
BS	16-	Osobna	205	60	16	XL	96	H	LM001	TL	●	*	9211	2056016	9,6				0	670,00
BS	16-	Osobna	205	60	16		92	H	LM001	TL		AO	8410	2056016	9,6	C	B	2	72	661,00
BS	16-	Osobna	205	60	16	XL	96	T	WS80	TL			7885	2056016	10,4	F	F	2	72	701,00
BS	16-	Osobna RFT	205	60	16		92	H	LM001	RFT		*	8680	2056016	12,1	E	B	2	72	772,00
BS	16-	Osobna RFT	205	60	16	XL	96	H	DRIVEGW	RFT			8381	2056016	12,2	C	B	2	72	720,00
BS	16-	Osobna RFT	205	60	16		92	H	LM32	RFT		*	8796	2056016	12,6	F	C	2	72	773,00
BS	16-	Osobna RFT	205	60	16	XL	96	H	LM001	RFT		*	9623	2056016	11,8				0	828,00
BS	17+	Osobna	205	60	17		93	H	LM001	TL		*	7672	2056017	10,0	C	B	2	72	943,00
BS	16-	Kombi	205	65	15		102	T	LM32C	TL			5022	2056515	10,2	F	B	2	73	794,00
BS	16-	Osobna	205	65	15		94	T	LM001	TL	●		7658	2056515	9,9	E	C	2	72	660,00
BS	16-	Osobna	205	65	15		94	H	LM001	TL	●		7664	2056515	9,9	E	C	2	72	698,00
BS	16-	Kombi	205	65	16		103	T	LM32C	TL			5021	2056516	11,1	F	B	2	73	860,00
BS	16-	Kombi	205	65	16		107	T	W810	TL			7630	2056516	13,2	E	C	2	75	913,00
BS	16-	Kombi	205	65	16		107	R	W995	TL			7070	2056516	13,2	E	E	2	75	805,00
BS	16-	Osobna	205	65	16		95	H	LM001	TL	●	*	8408	2056516	10,1	C	B	2	72	848,00
BS	16-	4X4	205	70	15		96	T	LM80EVO	TL			6684	2057015	9,9	E	C	2	72	698,00
BS	16-	4X4	205	70	15		96	S	DM-V2	TL	●		7937	2057015	11,3	G	F	2	72	682,00
BS	16-	Kombi	205	70	15		106	R	W810	TL			7626	2057015	13,0	F	C	2	75	760,00
BS	16-	Osobna	205	70	16		97	H	LM001	TL			8492	2057016	10,1	E	C	2	72	664,00
BS	16-	Kombi	205	75	16		110	R	W810	TL			9081	2057516	14,3	E	A	2	75	782,00
BS	16-	4X4	205	80	16	XL	104	T	LM80EVO	TL			6688	2058016	12,6	E	C	2	72	864,00
BS	16-	4X4	205	80	16	XL	104	R	DM-V2	TL	●		7936	2058016	13,9	G	F	2	72	859,00
BS	17+	Osobna	215	40	17	XL	87	V	LM32	TL	●		6887	2154017	9,9	G	C	2	72	1.009,00
BS	17+	Osobna	215	40	18	XL	89	V	LM32	TL	●		6886	2154018	9,9	F	C	2	72	1.002,00
BS	16-	Osobna	215	45	16	XL	90	V	LM32	TL	●		9600	2154516	9,8	E	C	2	72	1.001,00
BS	17+	Osobna	215	45	17	XL	91	V	LM32	TL	●		8589	2154517	9,9	F	C	2	71	1.011,00
BS	17+	Osobna	215	45	17	XL	91	W	LM001	TL		AO	13287	2154517	8,9				0	1.139,00

BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijanjanje na mokrom	Buka	db	VPC 27-08-2018
BS	17+	Osobna	215	45	17	XL	91	T	WS80	TL			9096	2154517	10,4	G	F	2	72	1.030,00
BS	17+	Osobna	215	45	18	XL	93	V	LM32	TL	●		9725	2154518	10,8	E	C	2	71	1.108,00
BS	17+	Osobna	215	45	20	XL	95	V	LM32	TL	●	*	6737	2154520	10,3	C	B	2	72	2.570,00
BS	17+	Osobna	215	50	17	XL	95	V	LM001	TL	●		7967	2155017	10,9	E	C	2	72	949,00
BS	17+	Osobna	215	50	17	XL	95	H	WS80	TL			7866	2155017	11,6	G	F	2	72	1.002,00
BS	16-	Osobna	215	55	16		93	H	LM001	TL	●		7960	2155516	10,9	E	C	2	72	820,00
BS	16-	Osobna	215	55	16		93	V	LM32	TL			6872	2155516	10,9	E	C	2	71	970,00
BS	16-	Osobna	215	55	16	XL	97	H	LM001	TL	●		7958	2155516	10,9	E	C	2	72	853,00
BS	16-	Osobna	215	55	16	XL	97	H	WS80	TL			7884	2155516	11,2	F	F	2	72	861,00
BS	16-	Osobna RFT	215	55	16	XL	97	H	DRIVEGW	RFT			8382	2155516	12,0	C	B	2	72	914,00
BS	17+	Osobna	215	55	17		94	V	LM001	TL		AO	8411	2155517	10,8	E	C	2	72	1.080,00
BS	17+	Osobna	215	55	17	XL	98	V	LM001	TL	●		7966	2155517	10,0	C	C	2	72	994,00
BS	17+	Osobna	215	55	17	XL	98	V	LM001	TL			13383	2155517	11,3				0	998,00
BS	17+	Osobna	215	55	17	XL	98	T	WS80	TL			7878	2155517	11,6	F	F	2	72	982,00
BS	16-	Kombi	215	60	16		103	T	LM32C	TL			5023	2156016	10,9	E	B	2	73	975,00
BS	16-	Osobna	215	60	16	XL	99	H	LM001	TL	●		7959	2156016	8,7	E	C	2	72	797,00
BS	16-	Osobna	215	60	16	XL	99	T	WS80	TL			7882	2156016	10,9	F	F	2	72	866,00
BS	17+	4X4	215	60	17		96	H	LM80EVO	TL			8406	2156017	11,2	E	C	2	71	1.018,00
BS	17+	4X4	215	60	17	XL	100	R	DM-V2	TL	●		9128	2156017	12,8	F	F	2	72	1.077,00
BS	17+	4X4	215	60	17		96	S	DM-V2	TL	●		7950	2156017	12,1	G	F	2	72	1.064,00
BS	16-	4X4	215	65	16		98	T	LM80EVO	TL			8350	2156516	10,3	E	C	2	71	717,00
BS	16-	4X4	215	65	16		98	H	LM80EVO	TL			6226	2156516	10,1	C	C	2	71	750,00
BS	16-	4X4	215	65	16	XL	102	H	LM80EVO	TL			6362	2156516	10,9	E	C	2	71	788,00
BS	16-	4X4	215	65	16		98	H	LM80	TL		AO	5492	2156516	11,4	F	C	2	72	754,00
BS	16-	4X4	215	65	16	XL	102	R	DM-V2	TL	●		9131	2156516	12,9	F	F	2	72	698,00
BS	16-	4X4	215	65	16		98	S	DM-V2	TL	●		14004	2156516	12,5	F	F	2	72	729,00
BS	16-	Kombi	215	65	16		106	T	LM32C	TL			5026	2156516	12,0	E	B	2	73	872,00
BS	16-	Kombi	215	65	16		109	R	W810	TL			7629	2156516	15,4	E	C	2	75	953,00
BS	16-	Kombi	215	65	16		109	T	W810	TL			7780	2156516	15,4	E	C	2	75	911,00
BS	16-	Kombi	215	65	16		109	R	W995	TL			7037	2156516	15,4	E	E	2	75	861,00
BS	16-	Osobna	215	65	16	XL	102	T	WS80	TL			7880	2156516	11,7	F	F	2	72	738,00
BS	17+	4X4	215	65	17		99	H	LM001	TL		AO	10422	2156517	10,9				0	1.117,00
BS	17+	Osobna	215	65	17		99	H	LM001	TL			8493	2156517	9,9	E	C	2	72	969,00
BS	17+	Osobna	215	65	17		99	H	LM001	SLT			9223	2156517	12,8	C	B	2	71	1.104,00
BS	16-	4X4	215	70	15		98	S	DM-V2	TL			11992	2157015	12,2	G	F	2	72	712,00
BS	16-	Kombi	215	70	15		109	R	W810	TL			7632	2157015	14,8	E	C	2	75	816,00
BS	16-	4X4	215	70	16		100	T	LM80EVO	TL			5949	2157016	11,6	E	C	2	72	771,00
BS	16-	4X4	215	70	16		100	S	DM-V2	TL	●		14003	2157016	13,0	F	F	2	72	775,00
BS	17+	4X4	215	70	17		101	S	DM-V2	TL			11981	2157017	13,0	G	F	2	72	1.170,00
BS	16-	Kombi	215	75	16		113	R	W810	TL			7633	2157516	16,4	E	C	2	75	1.033,00

BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijanjanje na mokrom	Buka	db	VPC 27-08-2018
BS	16-	Kombi	215	75	16		116	R	W810	TL			7634	2157516	16,4	E	C	2	75	1.089,00
BS	16-	Kombi	215	75	16		113	R	W995	TL			7058	2157516	16,4	E	E	2	75	918,00
BS	16-	4X4	215	80	15		102	R	DM-V2	TL	●		14005	2158015	12,7	F	F	2	72	779,00
BS	17+	Osobna	225	40	18	XL	92	V	LM001	TL	●		8892	2254018	10,9	E	C	2	72	956,00
BS	17+	Osobna	225	40	18	XL	92	V	LM32	TL	●	AO	7075	2254018	10,2	E	C	2	70	981,00
BS	17+	Osobna	225	40	18	XL	92	H	WS80	TL			7879	2254018	10,7	G	F	2	72	1.237,00
BS	17+	Osobna RFT	225	40	18	XL	92	V	DRIVEGW	RFT	●		10088	2254018	10,2	E	B	2	72	1.069,00
BS	17+	Osobna	225	45	17		91	H	LM001E	TL			9689	2254517	10,2	E	B	2	72	841,00
BS	17+	Osobna	225	45	17	XL	94	V	LM001E	TL			9697	2254517	10,2	C	B	2	72	938,00
BS	17+	Osobna	225	45	17		91	H	LM32	TL	●	MO	3777	2254517	10,4	E	C	2	70	884,00
BS	17+	Osobna	225	45	17	XL	94	H	WS80	TL			7883	2254517	11,1	F	F	2	72	1.025,00
BS	17+	Osobna RFT	225	45	17	XL	94	V	DRIVEGW	RFT	●		8391	2254517	11,0	C	B	2	72	957,00
BS	17+	Osobna RFT	225	45	17	XL	94	V	LM25	RFT	●	*	1957	2254517	12,2	F	E	2	72	1.126,00
BS	17+	Osobna	225	45	18	XL	95	V	LM001	TL	●		7971	2254518	10,6	E	C	2	72	1.075,00
BS	17+	Osobna	225	45	18		91	H	LM001	TL	●	MO	9361	2254518	9,8	C	B	2	71	1.173,00
BS	17+	Osobna	225	45	18	XL	95	H	LM32	TL	●	AO	6892	2254518	10,9	E	B	2	70	1.221,00
BS	17+	Osobna	225	45	18	XL	95	H	WS80	TL			7872	2254518	11,5	F	F	2	72	1.229,00
BS	17+	Osobna RFT	225	45	18		91	H	LM001	EXT	●	MO	9366	2254518	11,3	C	B	2	71	1.196,00
BS	17+	Osobna RFT	225	45	18	XL	95	H	LM001	RFT		*	9621	2254518	11,7				0	1.258,00
BS	17+	Osobna	225	45	19		92	V	LM25V	TL			2476	2254519	12,1	F	F	2	72	1.630,00
BS	17+	4X4 RFT	225	50	17		94	H	LM25-1	RFT	●	*	8775	2255017	13,6	G	C	2	72	1.252,00
BS	17+	Osobna	225	50	17	XL	98	H	LM001E	TL	●		8349	2255017	10,9	E	B	2	72	914,00
BS	17+	Osobna	225	50	17	XL	98	V	LM001E	TL	●		8347	2255017	10,9	E	B	2	72	949,00
BS	17+	Osobna	225	50	17		94	H	LM001	TL		AO	9611	2255017	10,8				0	915,00
BS	17+	Osobna	225	50	17	XL	98	H	LM001	TL		*	9222	2255017	10,7	C	B	2	72	940,00
BS	17+	Osobna	225	50	17	XL	98	H	LM001	TL		AO	8782	2255017	11,2	E	C	2	71	941,00
BS	17+	Osobna	225	50	17	XL	98	H	WS80	TL			7881	2255017	12,2	F	F	2	72	1.025,00
BS	17+	Osobna RFT	225	50	17		94	H	LM001	RFT		*	6833	2255017	12,9	E	B	2	72	1.144,00
BS	17+	Osobna RFT	225	50	17	XL	98	V	DRIVEGW	RFT			8380	2255017	12,1	C	B	2	72	1.019,00
BS	17+	Osobna RFT	225	50	17		94	H	LM32	EXT		MO	6186	2255017	13,0	F	C	2	72	1.144,00
BS	17+	Osobna RFT	225	50	17	XL	98	H	LM001	RFT		*	9220	2255017	12,8	C	B	2	72	1.255,00
BS	17+	Osobna RFT	225	50	18		95	H	LM001	RFT		*	7671	2255018	13,7	C	B	2	72	1.388,00
BS	16-	Osobna	225	55	16		95	H	LM001	TL			7957	2255516	10,1	E	C	2	72	797,00
BS	16-	Osobna	225	55	16	XL	99	H	LM001	TL	●		7961	2255516	10,1	E	C	2	72	821,00
BS	16-	Osobna	225	55	16		95	H	LM32	TL		*	5225	2255516	11,2	F	C	2	72	824,00
BS	16-	Osobna	225	55	16	XL	99	H	LM32	TL		MO	2213	2255516	11,2	E	E	2	71	848,00
BS	16-	Osobna	225	55	16	XL	99	T	WS80	TL			7869	2255516	12,3	F	F	2	72	878,00
BS	16-	Osobna RFT	225	55	16		95	H	LM32	RFT		*	5224	2255516	13,2	F	C	2	72	957,00
BS	17+	4X4	225	55	17	XL	101	V	LM80EVO	TL	●		6685	2255517	11,6	E	C	2	73	1.156,00
BS	17+	4X4	225	55	17		97	T	DM-V2	TL			11978	2255517	12,4	F	F	2	72	1.044,00

BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijanjanje na mokrom	Buka	db	VPC 27-08-2018
BS	17+	Osobna	225	55	17		97	H	LM001	TL	●	*	8409	2255517	10,9	C	B	2	72	1.076,00
BS	17+	Osobna	225	55	17		97	V	LM001	TL			10085	2255517	11,0	E	B	2	72	1.102,00
BS	17+	Osobna	225	55	17	XL	101	V	LM32	TL			4985	2255517	11,0	E	C	2	72	979,00
BS	17+	Osobna	225	55	17		97	H	LM001	TL	●	*	9210	2255517	11,1	C	B	2	72	1.076,00
BS	17+	Osobna	225	55	17	XL	101	T	WS80	TL			7875	2255517	12,9	F	F	2	72	1.026,00
BS	17+	Osobna RFT	225	55	17	XL	101	V	DRIVEGW	RFT			8383	2255517	13,9	C	B	2	72	1.096,00
BS	17+	Osobna RFT	225	55	17		97	H	LM001	RFT		*	7670	2255517	13,4	C	B	2	72	1.249,00
BS	17+	Osobna RFT	225	55	17		97	H	LM001	RFT		*	8687	2255517	13,4	E	B	2	72	1.249,00
BS	17+	Osobna RFT	225	55	17		97	H	LM32	RFT		*	5035	2255517	14,5	F	E	2	72	1.252,00
BS	17+	4X4	225	55	18		98	V	LM80EVO	TL	●		6365	2255518	12,3	E	C	1	68	1.395,00
BS	17+	4X4	225	55	18		98	T	DM-V2	TL	●		7940	2255518	12,8	F	F	2	72	1.341,00
BS	17+	Osobna	225	55	18	XL	102	V	LM001	TL		AO	9357	2255518	11,6				0	1.339,00
BS	17+	Osobna	225	55	18		98	H	WS80	TL			9106	2255518	12,2	F	F	2	72	1.258,00
BS	17+	4X4	225	55	19		99	T	DM-V2	TL			12086	2255519	13,7				0	1.471,00
BS	16-	Osobna	225	60	16		98	H	LM32	TL	●	AO	5494	2256016	11,8	F	E	2	71	866,00
BS	17+	4X4	225	60	17		99	H	LM80EVO	TL			6694	2256017	11,4	E	C	2	71	1.136,00
BS	17+	4X4	225	60	17	XL	103	R	DM-V2	TL	●		9129	2256017	13,6	F	F	2	72	1.198,00
BS	17+	4X4	225	60	17		99	S	DM-V2	TL	●		9109	2256017	13,1	F	F	2	72	1.116,00
BS	17+	Osobna	225	60	17		99	H	WS80	TL			9100	2256017	12,0	F	F	2	72	1.049,00
BS	17+	4X4	225	60	18		100	H	LM80EVO	TL			6693	2256018	11,9	E	C	2	71	1.133,00
BS	17+	4X4	225	60	18	XL	104	H	LM001	TL		*	8361	2256018	13,1	C	B	2	72	1.223,00
BS	17+	4X4	225	60	18		100	S	DM-V2	TL			12077	2256018	13,7	F	F	2	72	1.059,00
BS	17+	4X4 RFT	225	60	18	XL	104	H	LM001	RFT		*	8362	2256018	15,7	C	B	2	72	1.467,00
BS	16-	Kombi	225	65	16		112	R	W810	TL			7622	2256516	15,4	E	C	2	75	975,00
BS	16-	Kombi	225	65	16		112	R	W810	TL			9262	2256516	14,3	E	B	2	75	972,00
BS	16-	Kombi	225	65	16		112	R	W995	TL			7061	2256516	15,4	E	E	2	75	919,00
BS	17+	4X4	225	65	17		102	H	LM80EVO	TL			5959	2256517	12,4	E	C	2	71	1.077,00
BS	17+	4X4	225	65	17		102	S	DM-V2	TL	●		7930	2256517	13,3	F	F	2	72	1.135,00
BS	17+	4X4	225	65	17	XL	106	S	DM-V2	TL	●		9125	2256517	13,9	F	F	2	72	1.175,00
BS	17+	Osobna	225	65	17		102	H	WS80	TL			9105	2256517	12,9	F	F	2	72	1.139,00
BS	17+	4X4	225	65	18		103	S	DM-V2	TL			12074	2256518	14,4	F	F	2	72	1.163,00
BS	16-	Kombi	225	70	15		112	R	W810	TL			7631	2257015	14,7	E	C	2	75	854,00
BS	16-	Kombi	225	70	15		112	R	W995	TL			7036	2257015	14,7	E	E	2	75	788,00
BS	16-	4X4	225	70	16		103	T	LM80EVO	TL			6690	2257016	12,3	E	C	2	71	909,00
BS	16-	4X4	225	70	16		103	S	DM-V2	TL	●		7943	2257016	13,8	F	F	2	72	819,00
BS	16-	4X4	225	75	16		104	R	DM-V2	TL			11990	2257516	13,9	F	F	2	72	1.036,00
BS	16-	Kombi	225	75	16		121	R	W810	TL			9625	2257516	19,7	E	C	2	75	1.026,00
BS	17+	Osobna	235	35	19	XL	91	V	LM32	TL	●		6890	2353519	11,8	E	C	2	72	1.549,00
BS	17+	Osobna	235	35	19	XL	91	H	WS80	TL			8517	2353519	10,7	G	F	2	70	1.537,00
BS	17+	Osobna	235	40	18	XL	95	V	LM001	TL	●		8496	2354018	11,2	E	C	2	72	1.171,00

BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijanjanje na mokrom	Buka	db	VPC 27-08-2018
BS	17+	Osobna	235	40	18	XL	95	H	WS80	TL			7871	2354018	11,2	G	F	2	72	1.309,00
BS	17+	Osobna	235	40	19	XL	96	V	LM32	TL	●		10302	2354019	12,1	F	C	2	72	1.523,00
BS	17+	Osobna	235	45	17		94	H	LM001	TL	●		8494	2354517	11,5	E	C	2	72	1.157,00
BS	17+	Osobna	235	45	17	XL	97	V	LM001	TL	●		8495	2354517	11,5	E	C	2	72	1.145,00
BS	17+	Osobna	235	45	17	XL	97	H	WS80	TL			7877	2354517	11,5	F	F	2	72	1.137,00
BS	17+	Osobna	235	45	18	XL	98	V	LM001	TL	●		7969	2354518	13,2	E	C	2	72	1.188,00
BS	17+	4X4	235	45	19		95	V	LM80EVO	TL	●		6696	2354519	11,7	E	C	2	72	1.523,00
BS	17+	4X4	235	50	18		97	H	LM80EVO	TL	●		6570	2355018	12,5	E	C	2	72	1.270,00
BS	17+	Osobna	235	50	18	XL	101	V	LM32	TL	●		6662	2355018	14,9	E	C	2	71	1.277,00
BS	17+	Osobna	235	50	18		97	V	LM25V	TL			11954	2355018	13,5				0	1.255,00
BS	17+	Osobna	235	50	18	XL	101	H	WS80	TL			9102	2355018	13,5	F	F	2	72	1.390,00
BS	17+	4X4	235	50	19		99	H	LM25-4	TL	●		3105	2355019	13,1	E	E	2	72	1.307,00
BS	17+	4X4	235	55	17		99	H	LM80EVO	TL	●		5948	2355517	12,5	E	C	2	69	1.204,00
BS	17+	4X4	235	55	17	XL	103	T	DM-V2	TL	●		9122	2355517	13,3	F	F	2	72	1.139,00
BS	17+	Osobna	235	55	17	XL	103	V	LM32	TL			4989	2355517	14,4	E	C	2	71	1.124,00
BS	17+	Osobna	235	55	17	XL	103	T	WS80	TL			7873	2355517	13,4	F	F	2	72	1.109,00
BS	17+	4X4	235	55	18		100	H	LM80EVO	TL	●		6366	2355518	11,9	E	C	2	72	1.193,00
BS	17+	4X4	235	55	18		100	T	DM-V2	TL	●		7947	2355518	13,7	F	F	2	72	1.356,00
BS	17+	Osobna	235	55	18		100	H	LM001	TL		AO	13572	2355518	12,8				0	1.230,00
BS	17+	4X4	235	55	19	XL	105	V	LM80EVO	TL	●		6689	2355519	12,8	C	C	2	72	1.346,00
BS	17+	4X4	235	55	19	XL	105	T	DM-V2	TL	●		7955	2355519	14,9	F	F	2	72	1.522,00
BS	17+	4X4	235	55	20		102	T	DM-V2	TL			12070	2355520	14,9				0	1.623,00
BS	16-	4X4	235	60	16		100	H	LM80EVO	TL			6600	2356016	11,6	E	C	2	72	910,00
BS	16-	4X4	235	60	16		100	S	DM-V2	TL	●		7935	2356016	12,7	F	F	2	72	995,00
BS	17+	4X4	235	60	17		102	H	LM25-4	TL		MO	1720	2356017	14,0	F	E	2	72	1.168,00
BS	17+	4X4	235	60	17		102	S	DM-V2	TL	●		9107	2356017	13,7	F	F	2	72	1.215,00
BS	17+	Osobna	235	60	17		102	H	LM32	TL		AO	3000	2356017	13,9	F	E	2	72	1.143,00
BS	17+	4X4	235	60	18	XL	107	H	LM80EVO	TL			5957	2356018	13,3	C	C	2	71	1.065,00
BS	17+	4X4	235	60	18		103	H	LM80EVO	TL		MO	6817	2356018	13,5	E	C	2	72	1.224,00
BS	17+	4X4	235	60	18	XL	107	V	LM80EVO	TL			5952	2356018	13,3	E	C	2	71	1.159,00
BS	17+	4X4	235	60	18	XL	107	S	DM-V2	TL	●		7941	2356018	15,1	F	F	2	72	1.292,00
BS	16-	Kombi	235	65	16		115	R	W810	TL			7623	2356516	16,1	E	C	2	75	1.080,00
BS	16-	Kombi	235	65	16		115	R	W995	TL			7062	2356516	16,1	E	E	2	75	1.012,00
BS	17+	4X4	235	65	17	XL	108	H	LM80EVO	TL			5950	2356517	13,1	E	C	2	71	1.029,00
BS	17+	4X4	235	65	17		104	H	LM80EVO	TL			7470	2356517	12,9	E	C	2	71	1.013,00
BS	17+	4X4	235	65	17	XL	108	S	DM-V2	TL	●		7932	2356517	15,0	F	F	2	72	1.206,00
BS	17+	4X4	235	65	18	XL	110	H	LM80EVO	TL			6359	2356518	13,7	E	C	2	71	1.189,00
BS	17+	4X4	235	65	18		106	S	DM-V2	TL	●		7954	2356518	15,0	F	F	2	72	1.348,00
BS	16-	4X4	235	70	16		106	S	DM-V2	TL	●		7942	2357016	14,7	F	F	2	72	923,00
BS	16-	4X4	235	75	15	XL	109	T	LM80EVO	TL			6598	2357515	13,0	E	C	2	72	799,00

BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijanjanje na mokrom	Buka	db	VPC 27-08-2018
BS	16-	4X4	235	75	15	XL	109	R	DM-V2	TL	●		9110	2357515	15,2	F	F	2	72	723,00
BS	17+	Osobna	245	40	17	XL	95	V	LM32	TL	●		6860	2454017	11,7	E	C	2	72	1.222,00
BS	17+	Osobna	245	40	18		93	V	LM001	TL	●	AO	9216	2454018	10,9	E	C	2	72	1.209,00
BS	17+	Osobna	245	40	18	XL	97	H	WS80	TL			7874	2454018	11,6	G	F	2	72	1.358,00
BS	17+	Osobna	245	40	19	XL	98	V	LM001	TL	●		8499	2454019	11,4	E	C	2	72	1.648,00
BS	17+	Osobna	245	40	20		95	W	LM32	TL		AMR	5208	2454020	13,1	E	E	2	72	2.038,00
BS	17+	Osobna	245	45	17	XL	99	V	LM001	TL	●		7970	2454517	12,4	E	C	2	72	1.239,00
BS	17+	Osobna	245	45	17	XL	99	H	WS80	TL			7876	2454517	12,2	F	F	2	72	1.213,00
BS	17+	Osobna	245	45	18	XL	100	V	LM001	TL	●		8497	2454518	11,5	E	C	2	72	1.186,00
BS	17+	Osobna RFT	245	45	18		96	V	LM25	RFT		*	78274	2454518	14,3	F	E	2	72	1.320,00
BS	17+	Osobna	245	45	19	XL	102	V	LM32	TL	●		6580	2454519	13,4	E	C	2	72	1.557,00
BS	17+	Osobna RFT	245	45	19	XL	102	V	LM001	RFT		*	7669	2454519	14,5	C	B	2	72	1.868,00
BS	17+	4X4	245	45	20	XL	103	T	DM-V2	TL			12089	2454520	14,7	G	F	2	72	1.879,00
BS	17+	Osobna RFT	245	50	17		99	H	LM25	RFT	●	*	79077	2455017	15,9	F	E	2	72	1.623,00
BS	17+	Osobna	245	50	18	XL	104	H	WS80	TL			9104	2455018	14,3	F	F	2	72	1.443,00
BS	17+	Osobna RFT	245	50	18		100	H	LM001	RFT		*	7668	2455018	15,5	C	B	2	72	1.527,00
BS	17+	4X4 RFT	245	50	19	XL	105	V	LM001	RFT		*	8363	2455019	16,4	C	B	2	72	1.534,00
BS	17+	4X4	245	50	20		102	T	DM-V2	TL			12071	2455020	15,3	G	F	2	72	1.673,00
BS	17+	4X4	245	55	19		103	T	DM-V2	TL			11973	2455519	15,1	F	F	2	72	1.649,00
BS	17+	4X4	245	60	18		105	S	DM-V2	TL			12075	2456018	15,8	F	F	2	72	1.438,00
BS	17+	4X4	245	65	17	XL	111	H	LM80EVO	TL			6596	2456517	13,7	E	C	2	72	1.322,00
BS	17+	4X4	245	65	17	XL	111	T	LM80	TL			5947	2456517	15,9	F	C	2	72	1.255,00
BS	17+	4X4	245	65	17		107	S	DM-V2	TL			11982	2456517	15,9	F	F	2	72	1.282,00
BS	16-	4X4	245	70	16	XL	111	T	LM80EVO	TL	●		5953	2457016	14,1	C	C	2	72	923,00
BS	16-	4X4	245	70	16		107	T	LM80EVO	TL	●		5955	2457016	14,1	E	C	2	72	932,00
BS	16-	4X4	245	70	16		107	S	DM-V2	TL	●		7938	2457016	15,5	F	F	2	72	969,00
BS	17+	4X4	245	70	17		110	S	DM-V2	TL			11983	2457017	16,6	F	F	2	72	1.175,00
BS	16-	4X4	245	75	16		111	R	DM-V2	TL			11991	2457516	17,0	F	F	2	72	958,00
BS	17+	Osobna	255	35	18	XL	94	V	LM25V	TL	●		78462	2553518	12,0	F	F	2	73	1.323,00
BS	17+	Osobna	255	35	19	XL	96	V	LM001	TL			8500	2553519	12,2	E	C	2	73	1.571,00
BS	17+	Osobna	255	40	18	XL	99	V	LM001	TL	●		8498	2554018	13,0	E	C	2	73	1.362,00
BS	17+	Osobna RFT	255	40	18		95	V	LM25	EXT	●	MO	79079	2554018	13,7	F	E	2	72	1.688,00
BS	17+	Osobna RFT	255	40	18	XL	99	V	LM32	EXT	●	MO	3780	2554018	13,6	E	C	2	72	1.665,00
BS	17+	Osobna	255	40	19	XL	100	V	LM32	TL	●		9724	2554019	11,3	E	C	2	73	1.471,00
BS	17+	Osobna	255	40	20		97	W	LM001	TL	●	A5A	6700	2554020	13,5	F	C	2	73	1.922,00
BS	17+	Osobna	255	45	18	XL	103	V	LM32	TL	●		7407	2554518	13,6	E	C	2	73	1.427,00
BS	17+	4X4	255	45	20		101	T	DM-V2	TL			12069	2554520	15,2	G	F	2	73	1.592,00
BS	17+	4X4	255	50	19	XL	107	V	LM80EVO	TL	●		6364	2555019	15,1	E	C	2	73	1.323,00
BS	17+	4X4	255	50	19	XL	107	T	DM-V2	TL	●		9112	2555019	15,8	F	F	2	73	1.622,00
BS	17+	4X4 RFT	255	50	19	XL	107	V	LM25-4	RFT	●	*	2259	2555019	20,6	E	F	2	73	1.564,00



BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijanjanje na mokrom	Buka	db	VPC 27-08-2018
BS	17+	4X4 RFT	255	50	19	XL	107	H	LM25-4	EXT		MO	1129	2555019	20,1	E	F	2	73	1.562,00
BS	17+	4X4	255	50	20	XL	109	H	LM80EVO	TL	●	AO	6698	2555020	15,8	E	C	2	73	1.879,00
BS	17+	4X4	255	50	20	XL	109	T	DM-V2	TL			12088	2555020	16,9				0	1.853,00
BS	17+	Osobna	255	50	20	XL	109	H	LM001	TL			13576	2555020	15,8				0	1.879,00
BS	17+	4X4	255	55	18	XL	109	V	LM80EVO	TL	●		5954	2555518	15,1	E	C	2	73	1.099,00
BS	17+	4X4	255	55	18	XL	109	H	LM001	TL		*	9613	2555518	14,2	C	B	2	71	1.092,00
BS	17+	4X4	255	55	18	XL	109	H	LM80EVO	TL	●		5956	2555518	15,1	E	C	2	73	1.064,00
BS	17+	4X4	255	55	18	XL	109	T	DM-V2	TL	●		7945	2555518	15,8	F	F	2	73	1.405,00
BS	17+	4X4 RFT	255	55	18	XL	109	H	LM25-4	RFT			1126	2555518	20,6	E	C	2	71	1.303,00
BS	17+	4X4	255	55	19	XL	111	H	LM80EVO	TL	●		6695	2555519	14,7	C	C	2	73	1.566,00
BS	17+	4X4	255	55	19	XL	111	H	LM001	TL		AO	10973	2555519	15,4				0	1.614,00
BS	17+	4X4	255	55	19	XL	111	H	LM001	TL		AO	8784	2555519	15,5	C	C	2	72	1.615,00
BS	17+	4X4	255	55	19	XL	111	T	DM-V2	TL			12073	2555519	16,5	F	F	2	73	1.650,00
BS	17+	4X4	255	55	20	XL	110	T	DM-V2	TL			12068	2555520	17,7	F	F	2	73	1.826,00
BS	17+	4X4 RFT	255	55	20	XL	110	H	LM001	RFT		*	9616	2555520	18,8				0	2.221,00
BS	17+	4X4	255	60	17		106	H	LM80EVO	TL			6691	2556017	14,1	E	C	2	73	1.185,00
BS	17+	4X4	255	60	17		106	S	DM-V2	TL	●		7956	2556017	16,4	F	F	2	73	1.337,00
BS	17+	4X4	255	60	18	XL	112	H	LM80EVO	TL			6686	2556018	15,2	E	C	2	73	1.200,00
BS	17+	4X4	255	60	18	XL	112	S	DM-V2	TL	●		9119	2556018	16,9	F	F	2	73	1.411,00
BS	16-	4X4	255	65	16		109	H	LM80EVO	TL			6597	2556516	14,3	E	C	2	73	982,00
BS	17+	4X4	255	65	17		110	H	LM80EVO	TL			6599	2556517	15,2	E	C	2	73	1.241,00
BS	17+	4X4	255	65	17		110	S	DM-V2	TL	●		7934	2556517	17,1	F	F	2	73	1.267,00
BS	16-	4X4	255	70	16		111	S	DM-V2	TL			12054	2557016	17,2	F	F	2	73	1.067,00
BS	17+	4X4	255	70	17		112	S	DM-V2	TL			11985	2557017	17,5	F	F	2	73	1.470,00
BS	17+	4X4	265	45	21		104	T	DM-V2	TL			12049	2654521	17,0	F	F	2	73	2.878,00
BS	17+	4X4	265	50	19	XL	110	V	LM80EVO	TL	●		6568	2655019	16,2	E	C	2	73	1.459,00
BS	17+	4X4	265	50	19	XL	110	T	DM-V2	TL	●		9113	2655019	16,6	F	F	2	73	1.612,00
BS	17+	4X4 RFT	265	50	19	XL	110	H	LM001	RFT		*	9615	2655019	18,4	C	B	2	71	1.651,00
BS	17+	4X4	265	50	20		107	V	LM80EVO	TL	●		6361	2655020	16,2	E	C	2	73	2.028,00
BS	17+	4X4	265	50	20		107	T	DM-V2	TL			11968	2655020	16,9	F	F	2	73	1.849,00
BS	17+	4X4	265	55	19		109	T	DM-V2	TL			12051	2655519	17,6	F	F	2	73	1.580,00
BS	17+	4X4	265	60	18		110	H	LM80EVO	TL			6360	2656018	15,4	C	C	2	73	1.320,00
BS	17+	4X4	265	60	18		110	R	DM-V2	TL	●		7946	2656018	18,1	F	F	2	73	1.432,00
BS	17+	4X4	265	65	17		112	H	LM80EVO	TL			6687	2656517	15,9	E	C	2	73	1.334,00
BS	17+	4X4	265	65	17		112	R	DM-V2	TL	●		7928	2656517	18,7	F	F	2	73	1.315,00
BS	16-	4X4	265	70	15		112	R	DM-V2	TL	●		7944	2657015	17,1	F	F	2	73	1.112,00
BS	16-	4X4	265	70	16		112	R	DM-V2	TL	●		7933	2657016	17,8	F	F	2	73	1.088,00
BS	17+	4X4	265	70	17		115	R	DM-V2	TL			11979	2657017	18,9	F	F	2	73	1.165,00
BS	17+	4X4	275	40	20	XL	106	V	LM80EVO	TL	●		6567	2754020	14,2	E	C	2	73	1.841,00
BS	17+	4X4	275	40	20	XL	106	T	DM-V2	TL	●		7952	2754020	16,4	F	F	2	73	1.885,00

BR	Promjer	Kategorija	Širina	Visina	Promjer	XL	Li	Si	Profil	EXT/RFT	RIM GUARD	OEM MARKING	IPC	Pretraga	Težina (kg)	Potrošnja goriva	Prijanjanje na mokrom	Buka	db	VPC 27-08-2018
BS	17+	4X4	275	45	20	XL	110	V	LM80EVO	TL	●		6569	2754520	14,8	E	C	2	73	1.949,00
BS	17+	4X4	275	45	20	XL	110	T	DM-V2	TL			12090	2754520	17,4	F	F	2	73	1.790,00
BS	17+	4X4	275	45	20	XL	110	T	DM-V2	TL	●		9123	2754520	17,6	F	F	2	73	1.791,00
BS	17+	4X4 RFT	275	45	20	XL	110	V	LM001	RFT		*	9614	2754520	18,7	C	B	2	71	2.418,00
BS	17+	4X4	275	50	20	XL	113	R	DM-V2	TL			12067	2755020	18,4	F	F	2	73	1.942,00
BS	17+	4X4	275	50	22		111	T	DM-V2	TL			12050	2755022	19,5	F	F	2	73	2.134,00
BS	17+	4X4	275	55	19		111	T	DM-V2	TL			12065	2755519	18,5	F	F	2	73	1.832,00
BS	17+	4X4	275	55	20	XL	117	T	DM-V2	TL			12072	2755520	18,4	F	F	2	73	2.205,00
BS	17+	4X4	275	60	18		113	H	LM80EVO	TL			6692	2756018	15,7	E	C	2	73	1.538,00
BS	17+	4X4	275	60	18		113	R	DM-V2	TL	●		7948	2756018	19,3	F	F	2	73	1.442,00
BS	17+	4X4	275	60	20		115	R	DM-V2	TL			12087	2756020	20,7				0	1.727,00
BS	17+	4X4	275	65	17		115	R	DM-V2	TL	●		7953	2756517	18,8	E	F	2	73	1.425,00
BS	17+	4X4	275	65	18		114	R	DM-V2	TL			11977	2756518	19,2	E	F	2	73	1.563,00
BS	16-	4X4	275	70	16		114	R	DM-V2	TL	●		7949	2757016	18,8	F	F	2	73	1.112,00
BS	17+	4X4 RFT	285	45	21	XL	113	V	LM001	RFT		*	9617	2854521	17,8				0	3.120,00
BS	17+	4X4	285	45	22		110	T	DM-V2	TL	●		9443	2854522	19,7	F	F	2	75	3.745,00
BS	17+	4X4	285	50	20		112	T	DM-V2	TL			12095	2855020	19,0				0	1.774,00
BS	17+	4X4	285	50	20		112	T	DM-V2	TL	●		9120	2855020	19,0	F	F	2	75	1.774,00
BS	17+	4X4	285	60	18		116	R	DM-V2	TL	●		7951	2856018	20,6	E	F	2	75	1.521,00
BS	17+	4X4	285	65	17		116	R	DM-V2	TL			11980	2856517	19,5	E	F	2	75	1.698,00
BS	17+	4X4	285	70	17		117	R	DM-V2	TL			11986	2857017	20,8	F	F	2	75	1.866,00
BS	17+	Osobna	295	35	20		101	W	LM001	TL	●	A5A	6701	2953520	15,4	E	C	2	75	2.328,00
BS	17+	Osobna	295	35	20	XL	105	W	LM32	TL	●	AMR	4555	2953520	15,9	E	E	2	74	2.469,00