

Promjer	Dimenzija	Profil	LI/SI	Težina (kg)	Iskoristivost goriva	Prijljanje na mokrom	dB	Buka	VPC 27-08-2018
13	155/80 R13	ICEGRIPPER W810	79T	6,07	F	E	71	2	238,00
13	165/80 R13	ICEGRIPPER W810	83T	6,70	E	E	71	2	286,00
14	175/80 R14	ICEGRIPPER W810	88T	7,70	E	E	71	2	323,00
13	145/70 R13	ICEGRIPPER W810	71T	5,68	F	E	71	2	226,00
13	155/70 R13	ICEGRIPPER W810	75T	5,92	F	E	71	2	231,00
13	165/70 R13	ICEGRIPPER W810	79T	6,25	E	E	71	2	250,00
13	165/70 R13 REINFORCED	ICEGRIPPER W810	83T	6,42	E	E	71	2	275,00
13	175/70 R13	ICEGRIPPER W810	82T	6,77	E	E	71	2	263,00
13	185/70 R13	ICEGRIPPER W810	86T	7,44	E	E	71	2	298,00
14	165/70 R14	ICEGRIPPER W810	81T	6,90	E	E	71	2	271,00
14	165/70 R14 REINFORCED	ICEGRIPPER W810	85R	7,20	E	E	71	2	281,00
14	175/70 R14	ICEGRIPPER W810	84T	7,30	E	E	71	2	280,00
14	175/70 R14 REINFORCED	ICEGRIPPER W810	88T	7,46	E	E	71	2	293,00
14	185/70 R14	ICEGRIPPER W810	88T	7,89	E	E	71	2	334,00
14	195/70 R14	ICEGRIPPER W810	91T	8,25	E	E	71	2	382,00
15	195/70 R15 REINFORCED	ICEGRIPPER W810	97T	8,95	E	E	71	2	396,00
13	155/65 R13	ICEGRIPPER W810	73T	5,73	F	E	71	2	221,00
13	165/65 R13	ICEGRIPPER W810	77T	6,06	E	E	71	2	261,00
13	175/65 R13	ICEGRIPPER W810	80T	6,54	E	E	71	2	289,00
14	155/65 R14	ICEGRIPPER W810	75T	6,18	F	E	71	2	239,00
14	165/65 R14	ICEGRIPPER W810	79T	6,91	E	E	71	2	270,00
14	175/65 R14	ICEGRIPPER W810	82T	7,06	E	E	71	2	272,00
14	175/65 R14 REINFORCED	ICEGRIPPER W810	86T	7,32	E	E	71	2	304,00
14	185/65 R14	ICEGRIPPER W810	86T	7,58	E	E	71	2	294,00
15	175/65 R15	ICEGRIPPER W810	84T	7,47	E	E	71	2	308,00
15	185/65 R15	ICEGRIPPER W850	88H	8,16	E	C	71	2	323,00
15	185/65 R15 REINFORCED	ICEGRIPPER W850	92H	8,44	E	C	71	2	333,00
15	195/65 R15	ICEGRIPPER W850	91H	8,84	E	C	71	2	319,00
15	195/65 R15 REINFORCED	ICEGRIPPER W850	95H	8,92	E	C	71	2	363,00
15	205/65 R15	ICEGRIPPER W850	94H	9,64	E	C	71	2	396,00
15	215/65 R15	ICEGRIPPER W850	96H	10,20	E	C	71	2	443,00
16	205/65 R16	ICEGRIPPER W850	95H	10,21	E	C	71	2	452,00
16	215/65 R16	ICEGRIPPER W850	98H	10,80	E	C	71	2	458,00
16	215/65 R16 REINFORCED	ICEGRIPPER W850	102T	10,90	E	C	71	2	458,00
14	165/60 R14	ICEGRIPPER W810	75T	6,34	E	E	71	2	246,00
14	185/60 R14	ICEGRIPPER W850	82H	7,38	E	C	71	2	288,00

Promjer	Dimenzija	Profil	LI/SI	Težina (kg)	Iskoristivost goriva	Prijanjanje na mokrom	dB	Buka	VPC 27-08-2018
14	195/60 R14	ICEGRIPPER W850	86H	8,06	E	C	71	2	328,00
15	185/60 R15	ICEGRIPPER W850	84H	7,82	E	C	71	2	321,00
15	195/60 R15	ICEGRIPPER W850	88H	8,51	E	C	71	2	353,00
15	205/60 R15	ICEGRIPPER W850	91H	9,34	E	C	71	2	397,00
16	205/60 R16	ICEGRIPPER W850	92H	9,90	E	C	71	2	401,00
16	215/60 R16	ICEGRIPPER W850	95H	10,62	E	C	71	2	448,00
16	225/60 R16	ICEGRIPPER W850	98H	11,33	E	C	71	2	497,00
16	235/60 R16	ICEGRIPPER W850	100H	11,98	E	C	71	2	541,00
14	185/55 R14	ICEGRIPPER W850	80H	7,60	E	C	71	2	313,00
15	185/55 R15	ICEGRIPPER W850	82H	8,05	E	C	71	2	330,00
15	195/55 R15	ICEGRIPPER W850	85H	8,54	E	C	71	2	348,00
15	205/55 R15	ICEGRIPPER W850	88V	9,11	E	C	71	2	413,00
15	205/55 R15 REINFORCED	ICEGRIPPER W850	92V	9,11	E	C	71	2	424,00
16	185/55 R16 REINFORCED	ICEGRIPPER W850	87H	8,75	E	C	71	2	382,00
16	195/55 R16	ICEGRIPPER W850	87H	8,90	E	C	71	2	375,00
16	205/55 R16	ICEGRIPPER W850	91H	9,51	E	C	71	2	356,00
16	205/55 R16 RUN FLAT	ICEGRIPPER W850	91H	12,63	E	C	71	2	544,00
16	215/55 R16	ICEGRIPPER W850	93H	9,94	E	C	71	2	435,00
16	225/55 R16	ICEGRIPPER W850	95H	10,86	E	C	71	2	464,00
17	205/55 R17	ICEGRIPPER W850	91H	10,32	E	C	71	2	461,00
17	215/55 R17 REINFORCED	ICEGRIPPER W850	98V	10,79	E	C	71	2	480,00
17	225/55 R17	ICEGRIPPER W850	97H	11,53	E	C	71	2	502,00
17	225/55 R17 REINFORCED	ICEGRIPPER W850	101V	11,53	E	C	71	2	505,00
17	225/55 RF17 RUN FLAT	ICEGRIPPER W850	97V	15,80	E	C	71	2	871,00
17	235/55 R17 REINFORCED	ICEGRIPPER W850	103V	11,91	E	C	71	2	572,00
15	195/50 R15	ICEGRIPPER W850	82H	8,41	E	C	71	2	335,00
15	205/50 R15	ICEGRIPPER W850	86H	9,01	E	C	71	2	411,00
16	195/50 R16	ICEGRIPPER W850	84H	8,98	E	C	71	2	386,00
16	205/50 R16 REINFORCED	ICEGRIPPER W850	91H	9,58	E	C	71	2	442,00
16	225/50 R16 REINFORCED	ICEGRIPPER W850	96V	10,54	E	C	71	2	506,00
17	205/50 R17 REINFORCED	ICEGRIPPER W850	93V	10,21	E	C	71	2	462,00
17	215/50 R17	ICEGRIPPER W850	91H	10,40	E	C	71	2	469,00
17	225/50 R17 REINFORCED	ICEGRIPPER W850	98V	11,24	E	C	71	2	505,00
18	215/50 R18	ICEGRIPPER W850	92V	10,52	E	C	71	2	612,00
18	245/50 R18 REINFORCED	ICEGRIPPER W850	104V	12,68	E	C	71	2	644,00
19	235/50 R19 REINFORCED	ICEGRIPPER W850	103V	12,84	E	C	71	2	656,00

Promjer	Dimenzija	Profil	LI/SI	Težina (kg)	Iskoristivost goriva	Prijljanje na mokrom	dB	Buka	VPC 27-08-2018
16	195/45 R16 REINFORCED	ICEGRIPPER W850	84H	8,39	E	C	71	2	371,00
16	205/45 R16 REINFORCED	ICEGRIPPER W850	87H	9,08	E	C	71	2	410,00
16	215/45 R16 REINFORCED	ICEGRIPPER W850	90V	9,03	E	C	71	2	449,00
17	205/45 R17 REINFORCED	ICEGRIPPER W850	88H	9,34	E	C	71	2	443,00
17	215/45 R17 REINFORCED	ICEGRIPPER W850	91V	9,40	E	C	71	2	459,00
17	225/45 R17 REINFORCED	ICEGRIPPER W850	94V	10,61	E	C	71	2	466,00
17	235/45 R17 REINFORCED	ICEGRIPPER W850	97V	10,57	E	C	71	2	528,00
17	245/45 R17 REINFORCED	ICEGRIPPER W850	99V	11,46	E	C	71	2	575,00
18	215/45 R18 REINFORCED	ICEGRIPPER W850	93V	10,20	E	C	71	2	550,00
18	225/45 R18 REINFORCED	ICEGRIPPER W850	95V	10,89	E	C	71	2	559,00
18	235/45 R18 REINFORCED	ICEGRIPPER W850	98V	11,43	E	C	71	2	575,00
18	245/45 R18 REINFORCED	ICEGRIPPER W850	100V	12,01	E	C	71	2	579,00
19	245/45 R19 REINFORCED	ICEGRIPPER W850	102V	12,85	E	C	71	2	702,00
17	245/40 R17 REINFORCED	ICEGRIPPER W850	95V	11,10	E	C	71	2	544,00
18	225/40 R18 REINFORCED	ICEGRIPPER W850	92V	10,69	E	C	71	2	529,00
18	235/40 R18 REINFORCED	ICEGRIPPER W850	95V	10,82	E	C	71	2	567,00
18	245/40 R18 REINFORCED	ICEGRIPPER W850	97V	11,52	E	C	71	2	578,00
19	245/40 R19 REINFORCED	ICEGRIPPER W850	98V	12,16	E	C	71	2	725,00
19	255/40 R19 REINFORCED	ICEGRIPPER W850	100V	12,54	E	C	71	2	770,00
12	155 R12 C	PROWIN ST950	88/86N	7,63	E	C	71	2	352,00
12	155 R12 C	PROWIN ST960	88/86N	7,76	F	B	73	2	363,00
13	155 R13 C	PROWIN ST950	85/83N	8,79	G	C	71	2	396,00
13	155 R13 C	PROWIN ST960	85/83N	8,91	F	B	73	2	405,00
14	185 R14 C	PROWIN ST950	102/100R	12,16	G	B	71	2	485,00
14	185 R14 C	PROWIN ST960	102/100R	12,53	G	B	73	2	499,00
14	195 R14 C	PROWIN ST950	106/104R	13,52	G	B	73	2	543,00
14	195 R14 C	PROWIN ST960	106/104R	13,46	F	B	73	2	549,00
16	175/75 R16 C	PROWIN ST950	101/99R	12,57	G	B	73	2	499,00
16	185/75 R16 C	PROWIN ST950	104/102R	13,85	G	B	73	2	518,00
16	185/75 R16 C	PROWIN ST960	104/102R	13,54	G	B	73	2	514,00
16	195/75 R16 C	PROWIN ST950	107/105R	15,01	G	B	73	2	550,00
16	195/75 R16 C	PROWIN ST960	107/105R	14,51	F	B	73	2	535,00
16	205/75 R16 C	PROWIN ST950	110/108R	16,15	F	B	73	2	593,00
16	205/75 R16 C	PROWIN ST960	113/111R	16,13	F	B	73	2	593,00
16	215/75 R16 C	PROWIN ST950	113/111R	17,65	F	B	73	2	622,00

Promjer	Dimenzija	Profil	LI/SI	Težina (kg)	Iskoristivost goriva	Prijanjanje na mokrom	dB	Buka	VPC 27-08-2018
16	215/75 R16 C	PROWIN ST960	116/114R	16,74	F	B	73	2	623,00
16	225/75 R16 C	PROWIN ST950	118/116R	18,20	F	B	73	2	726,00
16	225/75 R16 C	PROWIN ST960	118/116R	18,03	F	B	73	2	741,00
15	195/70 R15 C	PROWIN ST950	104/102R	13,53	G	B	73	2	501,00
15	195/70 R15 C	PROWIN ST960	104/102R	13,09	F	B	73	2	502,00
15	205/70 R15 C	PROWIN ST950	106/104R	14,32	F	B	73	2	543,00
15	205/70 R15 C	PROWIN ST960	106/104R	13,93	F	B	73	2	542,00
15	215/70 R15 C	PROWIN ST950	109/107R	15,99	F	B	73	2	558,00
15	225/70 R15 C	PROWIN ST950	112/110R	15,93	F	B	72	2	590,00
15	225/70 R15 C	PROWIN ST960	112/110R	16,06	F	B	73	2	588,00
15	205/65 R15 C	PROWIN ST950	102/100T	13,69	F	B	73	2	577,00
15	215/65 R15 C	PROWIN ST960	104/102 T	15,10	F	B	73	2	628,00
16	195/65 R16 C	PROWIN ST960	104/102T	12,60	G	B	73	2	502,00
16	205/65 R16 C	PROWIN ST950	107/105T	14,54	F	B	73	2	556,00
16	205/65 R16 C	PROWIN ST960	107/105T	14,28	F	B	73	2	552,00
16	215/65 R16 C	PROWIN ST950	109/107R	16,28	F	B	73	2	596,00
16	215/65 R16 C	PROWIN ST960	109/107R	16,04	F	B	73	2	583,00
16	225/65 R16 C	PROWIN ST950	112/110R	16,65	F	B	73	2	613,00
16	225/65 R16 C	PROWIN ST960	112/110R	16,74	F	B	73	2	613,00
16	235/65 R16 C	PROWIN ST950	115/113R	17,81	F	B	73	2	645,00
16	235/65 R16 C	PROWIN ST960	121/119R	18,07	F	B	73	2	652,00
16	285/65 R16 C	PROWIN ST960	128 N	22,43	F	A	75	2	922,00
16	195/60 R16 C	PROWIN ST950	99/97T	12,03	G	B	73	2	544,00
16	195/60 R16 C	PROWIN ST960	99/97T	11,71	F	B	73	2	543,00
16	205/80 R16 REINFORCED	INCURRO WINTER W870	104T	12,32	E	C	70	2	602,00
15	235/75 R15 REINFORCED	INCURRO WINTER W870	109T	13,00	C	C	70	2	636,00
15	205/70 R15	INCURRO WINTER W870	96T	10,27	E	C	70	2	489,00
15	215/70 R15	INCURRO WINTER W870	98H	11,13	E	C	70	2	514,00
16	215/70 R16 REINFORCED	INCURRO WINTER W870	104H	11,75	E	C	70	2	524,00
16	225/70 R16 REINFORCED	INCURRO WINTER W870	107H	12,16	C	C	70	2	603,00
16	235/70 R16	INCURRO WINTER W870	106T	14,41	C	C	70	2	663,00
16	245/70 R16 REINFORCED	INCURRO WINTER W870	111T	14,78	C	C	70	2	676,00
16	255/70 R16	INCURRO WINTER W870	111T	15,99	C	C	71	2	740,00
16	265/70 R16	INCURRO WINTER W870	112T	16,01	C	C	71	2	772,00
17	215/65 R17	INCURRO WINTER W870	99H	11,68	E	C	70	2	572,00

Promjer	Dimenzija	Profil	LI/SI	Težina (kg)	Iskoristivost goriva	Prijanjanje na mokrom	dB	Buka	VPC 27-08-2018
17	225/65 R17 REINFORCED	INCURRO WINTER W870	106h	12,32	C	C	70	2	590,00
17	235/65 R17 REINFORCED	INCURRO WINTER W870	108V	14,10	C	C	70	2	668,00
17	245/65 R17 REINFORCED	INCURRO WINTER W870	111H	14,71	C	C	70	2	682,00
17	255/65 R17 REINFORCED	INCURRO WINTER W870	114H	14,95	C	C	71	2	759,00
17	265/65 R17 REINFORCED	INCURRO WINTER W870	116H	15,81	C	C	71	2	784,00
17	215/60 R17 REINFORCED	INCURRO WINTER W870	100H	12,02	E	C	70	2	553,00
17	225/60 R17 REINFORCED	INCURRO WINTER W870	103V	11,91	C	C	70	2	598,00
17	235/60 R17 REINFORCED	INCURRO WINTER W870	106H	13,64	C	C	70	2	622,00
17	255/60 R17 REINFORCED	INCURRO WINTER W870	110V	15,02	C	C	71	2	695,00
18	225/60 R18 REINFORCED	INCURRO WINTER W870	104V	12,47	C	C	70	2	631,00
18	235/60 R18 REINFORCED	INCURRO WINTER W870	107H	14,70	C	C	70	2	652,00
18	245/60 R18 REINFORCED	INCURRO WINTER W870	105H	15,31	C	C	70	2	733,00
18	255/60 R18 REINFORCED	INCURRO WINTER W870	112H	15,85	C	C	71	2	785,00
18	265/60 R18 REINFORCED	INCURRO WINTER W870	114H	16,01	C	C	72	2	810,00
17	235/55 R17 REINFORCED	INCURRO WINTER W870	103V	13,20	C	C	70	2	635,00
18	215/55 R18	INCURRO WINTER W870	95H	11,78	E	C	70	2	617,00
18	225/55 R18 REINFORCED	INCURRO WINTER W870	102H	12,07	C	C	70	2	650,00
18	235/55 R18 REINFORCED	INCURRO WINTER W870	104H	13,84	C	C	70	2	676,00
18	255/55 R18 REINFORCED	INCURRO WINTER W870	109V	15,66	C	C	71	2	735,00
19	205/55 R19 REINFORCED	INCURRO WINTER W870	97H	12,10	C	C	71	2	678,00
19	225/55 R19	INCURRO WINTER W870	99H	12,62	C	C	70	2	693,00
19	235/55 R19 REINFORCED	INCURRO WINTER W870	105V	14,58	C	C	70	2	730,00
19	245/55 R19	INCURRO WINTER W870	103H	15,01	C	C	70	2	739,00
19	255/55 R19 REINFORCED	INCURRO WINTER W870	111V	15,59	C	C	71	2	754,00
19	275/55 R19	INCURRO WINTER W870	111H	17,43	C	C	72	2	799,00
18	235/50 R18 REINFORCED	INCURRO WINTER W870	101V	13,45	C	C	70	2	661,00
19	235/50 R19 REINFORCED	INCURRO WINTER W870	103V	14,14	C	C	70	2	746,00
19	255/50 R19 REINFORCED	INCURRO WINTER W870	107V	15,88	C	C	71	2	771,00
19	255/50 R19 RF-RUN FLAT	INCURRO WINTER W870	107V	19,91	E	C	71	2	1.051,00
20	245/50 R20	INCURRO WINTER W870	102V	15,64	E	C	71	2	801,00
20	265/50 R20 REINFORCED	INCURRO WINTER W870	111H	16,58	C	C	72	2	842,00
19	225/45 R19 REINFORCED	INCURRO WINTER W870	96V	12,28	E	C	70	2	726,00
19	285/45 R19 REINFORCED	INCURRO WINTER W870	111H	16,12	C	C	72	2	867,00
20	275/45 R20 REINFORCED	INCURRO WINTER W870	110V	16,20	E	C	71	2	924,00
20	275/40 R20 REINFORCED	INCURRO WINTER W870	106V	15,77	E	C	73	2	939,00
20	315/35 R20 REINFORCED	INCURRO WINTER W870	110V	17,42	E	C	71	2	1.629,00



Promjer	Dimenzija	Profil	LI/Si	Težina (kg)	Iskoristivost goriva	Prijanjanje na mokrom	dB	Buka	VPC 27-08-2018
---------	-----------	--------	-------	-------------	----------------------	-----------------------	----	------	----------------